	-	_
	A!	
,	4	_

Number	/18 /18 /18
- 4 (("5845008") or ("5621810") or ("6091844") or ("5390003")).PN. - 362 (difficult\$5 error\$3) adj3 (read\$5 scan\$6) with (imag\$5 original\$5) with (print\$5 copy adj1 machine\$5 facsimile\$5) (difficult\$5 error\$3) adj3 (read\$5 scan\$6) with (imag\$5 original\$5) with (us-pepuB; facsimile\$5) (print\$5 copy adj1 machine\$5 pepuB; facsimile\$5) and @ad<20000131 perwent; lbM_TDB (scan\$6) with (imag\$5 original\$5) with (us-pepuB; facsimile\$5) and @ad<20000131 perwent; lbM_TDB (us-pepuB; facsimile\$5) with (print\$5 copy adj1 machine\$5 facsimile\$5) with (position\$5) with (position\$5) with (position\$5) with (position\$5) with (print\$5 copy adj1 machine\$5 facsimile\$5) with (print\$5 copy adj1 machine\$5 pepuB	/18
- 4 (("5845008") or ("5621810") or ("6091844") or ("5390003")).PN. - 362 (difficult\$5 error\$3) adj3 (read\$5	/18
- 4 (("5845008") or ("5621810") or ("6091844") or ("53390003")).PN. - 362 (difficult\$5 error\$3) adj3 (read\$5 (scan\$6) with (imag\$5 original\$5) with (print\$5 copy adj1 machine\$5 facsimile\$5) (print\$5 copy adj1 machine\$5 (print\$5) with (print\$5 copy adj1 machine\$5 (print\$5) with (print\$5 copy adj1 machine\$5 (print\$5) pand (print\$5 error\$3) adj3 (read\$5 (print\$5) pand (print\$5 copy adj1 machine\$5 facsimile\$5) (print\$5 copy adj1 machine\$5 copy adj1 machine\$5 copy adj1 machine\$5 (print\$5 copy adj1 machine\$5 copy adj1	/18
- 4 (("5845008") or ("5621810") or ("6091844") or ("5390003")).PN. - 362 (difficult\$5 error\$3) adj3 (read\$5 scan\$6) with (imag\$5 original\$5) with (print\$5 copy adj1 machine\$5 facsimile\$5) - 240 ((difficult\$5 error\$3) adj3 (read\$5 scan\$6) with (imag\$5 original\$5) with (print\$5 copy adj1 machine\$5 facsimile\$5) - 240 ((difficult\$5 error\$3) adj3 (read\$5 scan\$6) with (imag\$5 original\$5) with (print\$5 copy adj1 machine\$5 facsimile\$5) perwent; IBM_TDB (difficult\$5 error\$3) adj3 (read\$5 scan\$6) with (imag\$5 original\$5) with (print\$5 copy adj1 machine\$5 facsimile\$5) with (print\$5 copy adj1 machine\$5 facsimile\$5) with (print\$5 copy adj1 machine\$5 facsimile\$5) perwent; IBM_TDB (difficult\$5 error\$3) adj3 (read\$5 scan\$6) with (position\$5) with (position\$5) - 32 ((difficult\$5 error\$3) adj3 (read\$5 scan\$6) with (imag\$5 original\$5) with (position\$5) perwent; IBM_TDB (print\$5 copy adj1 machine\$5 facsimile\$5) perwent; IBM_TDB	/18
("6091844") or ("5390003")).PN. 15:55 2004/08/ 16:16 2004/08/ 16:30 2004/08/ 16:30 2004/08/ 16:30 2004/08/ 16:30 2004/08/ 16:30 2004/08/ 16:30 2004/08/ 16:30 2004/08/ 16:30 2004/08/ 16:30 2004/08/ 16:30 2004/08/ 16:30 2004/08/ 16:30 2004/08/ 16:30 2004/08/	/18
- 362 (difficult\$5 error\$3) adj3 (read\$5 scan\$6) with (imag\$5 original\$5) with (print\$5 copy adj1 machine\$5 facsimile\$5) USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB USPAT; US-PGPUB; EEO; JPO; DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB USPAT; US	/18
scan\$6) with (imag\$5 original\$5) with (print\$5 copy adj1 machine\$5 facsimile\$5) EPO; JPO; DERWENT; IBM_TDB Scan\$6) with (imag\$5 original\$5) with (US-PGPUB; EPO; JPO; brace of the print\$5 copy adj1 machine\$5 EPO; JPO; facsimile\$5) and @ad<20000131 DERWENT; IBM_TDB 16:44	
DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; JPO; with (position\$5) with (imag\$5 original\$5) with (print\$5 copy adj1 machine\$5 facsimile\$5) with (print\$5 copy adj1 machine\$5 facsimile\$5) with (position\$5) - 32 ((difficult\$5 error\$3) adj3 (read\$5 (print\$5 copy adj1 machine\$5 facsimile\$5) with (print\$5 copy adj1 machine\$5 facs	
- 240 ((difficult\$5 error\$3) adj3 (read\$5	
- 240 ((difficult\$5 error\$3) adj3 (read\$5	
Scan\$6) with (imag\$5 original\$5) with (print\$5 copy adj1 machine\$5 EPO; JPO; facsimile\$5)) and @ad<20000131 DERWENT; IBM_TDB US-PGPUB; Scan\$6) with (imag\$5 original\$5) with US-PGPUB; Scan\$6) with (imag\$5 original\$5) with US-PGPUB; Scan\$6) with (position\$5) DERWENT; IBM_TDB US-PGPUB; Scan\$6) with (position\$5) DERWENT; IBM_TDB USPAT; Scan\$6) with (imag\$5 original\$5) with US-PGPUB; Scan\$6) with (imag\$5 original\$5) with US-PGPUB; Scan\$6) with (imag\$5 original\$5) with US-PGPUB; Scan\$6) with (print\$5 copy adj1 machine\$5 facsimile\$5) EPO; JPO; with (position\$5)) and @ad<20000131 DERWENT; IBM_TDB USPAT;	
(print\$5 copy adj1 machine\$5 facsimile\$5)) and @ad<20000131 DERWENT; IBM_TDB USPAT; US-PGPUB; (print\$5 copy adj1 machine\$5 facsimile\$5) with (print\$5 copy adj1 machine\$5 facsimile\$5) with (position\$5) ((difficult\$5 error\$3) adj3 (read\$5 EPO; JPO; DERWENT; IBM_TDB USPAT; US-PGPUB; USPAT; US-PGPUB; USPAT; US-PGPUB; USPAT; US-PGPUB; (print\$5 copy adj1 machine\$5 facsimile\$5) with (print\$5 copy adj1 machine\$5 facsimile\$5) with (position\$5)) and @ad<20000131 (("5633932") or ("5502575") or ("6111953") or ("5909602") or ("6515755") or ("6427020")).PN. EPO; JPO; DERWENT; IBM_TDB USPAT; US-PGPUB; 16:52 EPO; JPO; DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB USPAT; US-PGPUB; EPO; JPO;	/18
Sean\$6) with (imag\$5 original\$5) with (print\$5 copy adj1 machine\$5 facsimile\$5) USPAT; US-PGPUB; USPAT; US-PGPUB; USPAT; US-PGPUB; USPAT; US-PGPUB; USPAT; USPAT; USPGPUB; USPAT; USPGPUB; USPAT; US	/18
- 59 (difficult\$5 error\$3) adj3 (read\$5	/18
Scan\$6) with (imag\$5 original\$5) with (print\$5 copy adj1 machine\$5 facsimile\$5) EPO; JPO; with (position\$5) DERWENT; IBM_TDB USPAT; US-PGPUB; Scan\$6) with (imag\$5 original\$5) with (print\$5 copy adj1 machine\$5 facsimile\$5) USPAT; US-PGPUB; 10:46 USPAT;	/18
(print\$5 copy adj1 machine\$5 facsimile\$5)	
with (position\$5) - 32 ((difficult\$5 error\$3) adj3 (read\$5 uspAT; scan\$6) with (imag\$5 original\$5) with (print\$5 copy adj1 machine\$5 facsimile\$5) EPO; JPO; with (position\$5)) and @ad<20000131 DERWENT; IBM_TDB ("5633932") or ("5502575") or ("6111953") or ("5909602") or ("6515755") Us-PGPUB; or ("6427020")).PN. DERWENT; IBM_TDB UspAT; UspAT; UspAT; UspAT; UspAT; UspAT; UspAT; or ("6111953") or ("5909602") or ("6515755") UspAT; UspAT	
- 32 ((difficult\$5 error\$3) adj3 (read\$5 uspAT; scan\$6) with (imag\$5 original\$5) with (print\$5 copy adj1 machine\$5 facsimile\$5) EPO; JPO; with (position\$5)) and @ad<20000131 DERWENT; IBM_TDB UspAT; ("5633932") or ("5502575") or ("6111953") or ("5909602") or ("6515755") Us-PGPUB; or ("6427020")).PN. EPO; JPO;	
scan\$6) with (imag\$5 original\$5) with	. 1
(print\$5 copy adj1 machine\$5 facsimile\$5)	/19
with (position\$5)) and @ad<20000131 DERWENT; IBM_TDB IBM_T	
IBM_TDB USPAT; 2004/08/ ("5633932") or ("5502575") or USPAT; 2004/08/ ("6111953") or ("5909602") or ("6515755") US-PGPUB; 16:52 or ("6427020")).PN. EPO; JPO;	1
- 12 (("5633932") or ("5502575") or ("6515755") USPAT; 2004/08/ ("6111953") or ("5909602") or ("6515755") US-PGPUB; 16:52 or ("6427020")).PN.	
or ("6427020")).PN. EPO; JPO;	/18
I DEPARTMENT.	
DERWENT; IBM TDB	
- 10 (printer\$5 copy adj2 machine\$5 USPAT; 2004/08/	/19
facsimile\$5) with ((difficult\$5 error\$3 US-PGPUB; 15:13	į
problem\$5) adj3 (read\$5 scan\$6) with EPO; JPO;	
(imag\$5 near4 original\$5)) DERWENT; IBM TDB	
- 1 (re-input\$5 re-scan\$5) with (image\$5 with USPAT; 2004/08/	/19
(position\$5 adj2 error)) US-PGPUB; 14:29	
EPO; JPO;	
DERWENT;	
- 10 (re-input\$5 re-scan\$5) with (image\$5) USPAT; 2004/08/	/19
with (printer\$5 copy adj2 machine\$5 US-PGPUB; 14:39	
facsimile\$5) EPO; JPO;	1
DERWENT;	1,11
	/19
US-PGPUB; 14:39	
EPO; JPO;	
DERWENT;	
IBM_TDB	/10
- 2 (difficult\$5 error\$3) adj3 (read\$5 USPAT; 2004/08/scan\$6) with (imag\$5 original\$5) with US-PGPUB; 15:11	, 19
(print\$5 copy adj1 machine\$5 facsimile\$5) EPO; JPO;	
same (banknote\$5 watermark\$5 securit\$5) DERWENT;	
IBM_TDB	/10
- 2 ("5909602").PN. USPĀT; 2004/08/ US-PGPUB; 15:13	19
US-PGPUB; 15:13 EPO; JPO;	
DERWENT;	
IBM TDB	
- 8 (read\$5 scan\$5) near2 again\$3 with USPAT; 2004/08/	/19
(image\$5 near2 original\$5) with US-PGPUB; 16:20 (printer\$5 copy adj2 machin\$5 EPO; JPO;	141
facsimile\$5) DERWENT;	1
IBM TDB	1

_	0	(printer\$5 copy adj2 machin\$5	USPAT;	2004/08/19
		facsimile\$5) same (read\$5 scan\$5) near2	US-PGPUB;	16:27
		again\$3 with (image\$5) with (position\$5	EPO; JPO;	
		adj2 (error\$5 defect\$5 failur\$5))	DERWENT;	
		/	IBM_TDB	2004/08/10
-	0	<pre>(printer\$5 copy adj2 machin\$5 facsimile\$5) with (re-read\$5 re-scan\$5)</pre>	USPAT; US-PGPUB;	2004/08/19
		racsimile(35) with (re-read(35 re-scan(35) with (position(\$5 ad)2 (error(\$5 defect(\$5	EPO; JPO;	16:28
		failur\$5))	DERWENT;	
		lalluras))	IBM TDB	
_	6	(printer\$5 copy adj2 machin\$5	USPAT;	2004/08/19
	Ĭ	facsimile\$5) with (re-read\$5 re-scan\$5)	US-PGPUB;	16:29
		with (error\$5 defect\$5 failur\$5)	EPO; JPO;	
			DERWENT;	
			IBM TDB	
_	4	(printer\$5 copy adj2 machin\$5	USPĀT;	2004/08/19
		facsimile\$5) with (read\$5 input\$5 scan\$5)	US-PGPUB;	16:31
		adj2 (again\$5) with (error\$5 defect\$5	EPO; JPO;	
		failur\$5)	DERWENT;	
			IBM_TDB	0004/00/70
-	91	(printer\$5 copy adj2 machin\$5	USPAT;	2004/08/19
		facsimile\$5) with (read\$5 input\$5 scan\$5)	US-PGPUB;	16:49
		adj2 (again\$5) same (image\$5 document\$5)	EPO; JPO; DERWENT;	
_	70	 (printer\$5 copy adj2 machin\$5	IBM_TDB USPAT;	2004/08/19
1	'0	(printers copy adjz machines facsimile\$5 with (read\$5 input\$5 scan\$5)	US-PGPUB;	16:32
ľ		adj2 (again\$5) with (image\$5 document\$5)	EPO; JPO;	10.02
		adjz (againes) with (imagees accumenters)	DERWENT;	
			IBM TDB	
_	52	((printer\$5 copy adj2 machin\$5	USPAT;	2004/08/19
		<pre>facsimile\$5) with (read\$5 input\$5 scan\$5)</pre>	US-PGPUB;	16:50
		adj2 (again\$5) with (image\$5 document\$5))	EPO; JPO;	
		and @ad<20000131	DERWENT;	
	1		IBM_TDB	
-	22	(printer\$5 copy adj2 machin\$5	USPAT;	2004/08/19
	1	facsimile\$5) with (scan\$5) adj2 (again\$5)	US-PGPUB;	16:51
	1	with (image\$5 document\$5)	EPO; JPO;	
	1		DERWENT; IBM TDB	
_	18	 ((printer\$5 copy adj2 machin\$5	USPAT;	2004/08/19
	"	((printers copy adj2 machinss facsimile\$5) with (scan\$5) adj2 (again\$5)	US-PGPUB;	16:58
	1	with (image\$5 document\$5)) and	EPO; JPO;	
	1	@ad<20000131	DERWENT;	
			IBM TDB	
_	0	(printer\$5 copy adj2 machin\$5	USPAT;	2004/08/19
		facsimile\$5) with (scan\$5) adj2 (again\$5)	US-PGPUB;	16:52
		same (position\$5 adj2 error)	EPO; JPO;	
			DERWENT;	
] .		IBM_TDB	
-	10	(scan\$5 adj1 again) with (document\$5)	USPAT;	2004/08/19
	1	with (position\$5)	US-PGPUB;	16:57
	1		EPO; JPO;	
			DERWENT; IBM TDB	
_	245	(re-scan\$5) with (image\$5)	USPAT;	2004/08/19
	243	(10 Scarrys, with (imageys)	US-PGPUB;	16:58
			EPO; JPO;	
			DERWENT;	
			IBM TDB	
-	57	(re-scan\$5) adj2 (image\$5)	USPĀT;	2004/08/19
			US-PGPUB;	16:58
			EPO; JPO;	
			DERWENT;	
			IBM_TDB	
-	43		USPAT;	2004/08/19
		@ad<20000131	US-PGPUB;	17:01
			EPO; JPO;	
1			DERWENT;	
	<u> </u>		IBM TDB	l

_	2	(re-input\$5 r	e-scan\$5) with (image\$5	USPAT;	2
		document\$5) w	e-scan\$5) with (image\$5 ith (watermark\$5 securit\$5)	US-PGPUB;	1
	1			EDO: JDO:	1

-	2	<pre>(re-input\$5 re-scan\$5) with (image\$5 document\$5) with (watermark\$5 securit\$5)</pre>	USPAT; US-PGPUB;	2004/08/19 17:02
			EPO; JPO; DERWENT; IBM TDB	
_	4	(re-input\$5 re-scan\$5) same (image\$5	USPAT;	2004/08/19
		document\$5) with (watermark\$5 securit\$5)	US-PGPUB;	17:02
			EPO; JPO; DERWENT;	
			IBM TDB	
_	6		USPAT;	2004/08/19
		document\$5) same (watermark\$5 securit\$5)	US-PGPUB; EPO; JPO;	17:03
1			DERWENT;	
_	2	("5462172").PN.	IBM_TDB USPAT;	2004/08/19
	-	(3102172).IN.	US-PGPUB;	17:04
			EPO; JPO;	
			DERWENT; IBM TDB	
_	6	("5465172").PN.	USPĀT;	2004/08/19
			US-PGPUB; EPO; JPO;	17:04
			DERWENT;	
_	4	5465172.URPN.	IBM_TDB USPAT	2004/08/19
				17:04
-	2	("5390003").PN.	USPAT; US-PGPUB;	2004/08/19 17:17
			EPO; JPO;	17.17
			DERWENT;	
_	8	2-210591	<pre>IBM_TDB USPAT;</pre>	2004/08/19
			US-PGPUB;	17:25
			EPO; JPO; DERWENT;	
			IBM_TDB	
_	24	"210591"	USPAT; US-PGPUB;	2004/08/19 17:26
			EPO; JPO;	17,120
			DERWENT; IBM TDB	
_	0	jp-2210591-\$.did.	USPĀT;	2004/08/19
			US-PGPUB; EPO; JPO;	17:27
			DERWENT;	
_	2	 jp-02210591-\$.did.	<pre>IBM_TDB USPAT;</pre>	2004/08/19
		JP 02210001 V. MIM.	US-PGPUB;	17:28
			EPO; JPO; DERWENT;	
			IBM_TDB	
-	2	("5426710").PN.	USPAT;	2004/08/19
			US-PGPUB; EPO; JPO;	17:28
			DERWENT;	
_	0	(print\$5 adj2 (prohibit\$5 prevent\$5) with	IBM_TDB USPAT;	2004/08/19
		(watermark\$5 pattern\$5 securit\$5	US-PGPUB;	17:30
		banknot\$5 money\$5)) same (re-scan\$5 re-read\$5 re-input\$5)	EPO; JPO; DERWENT;	
			IBM_TDB	
-	0	<pre>(print\$5 adj2 (prohibit\$5 prevent\$5) same (watermark\$5 pattern\$5 securit\$5</pre>	USPAT; US-PGPUB;	2004/08/19 17:31
		banknot\$5 money\$5)) same (re-scan\$5	EPO; JPO;	
		re-read\$5 re-input\$5)	DERWENT; IBM TDB	
-	12	(re adj1 scan\$5) with (image\$5) with	USPAT;	2004/08/19
		(error\$5 difficult\$5)	US-PGPUB; EPO; JPO;	17:46
			DERWENT;	
			IBM_TDB	

Search History 8/31/04 10:37:26 AM Page 3

			_	
-	1394	(detect\$5 determin\$5) with (image\$5	USPAT;	2004/08/19
		document\$5) adj2 (position\$5) with	US-PGPUB;	17:47
		scan\$5	EPO; JPO;	
			DERWENT;	
	1		IBM TDB	
-	215	(detect\$5 determin\$5) adj2 (position\$5)	USPĀT;	2004/08/19
		with (image\$5 document\$5) with (platen\$5)	US-PGPUB;	17:48
			EPO; JPO;	
ļ			DERWENT;	
			IBM TDB	
_	215	(detect\$5 determin\$5) adj2 (position\$5)	USPAT;	2004/08/19
		with (image\$5 document\$5) with (platen\$5)	US-PGPUB;	17:48
		same (position\$5)	EPO; JPO;	
		Tames (Francisco)	DERWENT;	
			IBM TDB	
_	l 0	(detect\$5 determin\$5) adj2 (position\$5)	USPAT;	2004/08/19
		with (image\$5 document\$5) with (platen\$5)	US-PGPUB;	17:48
		same (position\$5) same error\$5 same again	EPO; JPO;	
		Dame (Policies)	DERWENT;	
			IBM TDB	
l <u> </u>	7	(detect\$5 determin\$5) adj2 (position\$5)	USPAT;	2004/08/19
	·	with (image\$5 document\$5) with (platen\$5)	US-PGPUB;	17:48
		same (position\$5) same error\$5	EPO; JPO;	17.10
		Same (positiones) same criticies	DERWENT;	
			IBM TDB	
l _	7	(difficult\$5 adj2 scan\$5) with	USPAT;	2004/08/20
-	1 '	(original\$5 near4 (imag\$5 document\$5))	US-PGPUB;	15:46
		(Oliginaly) heart (imagy) documency)/	EPO; JPO;	13.40
			DERWENT;	į
			IBM TDB	
<u> </u>	1	(difficult\$5 adj2 scan\$5) with (imag\$5	USPAT;	2004/08/20
_	1	document\$5) same (rescan\$5 scan\$5 adj2	US-PGPUB;	15:50
		again\$5)	EPO; JPO;	1 13.30
		againys,	DERWENT;	
1	1		IBM TDB	
l _	15	(difficult\$5) with (imag\$5 document\$5)	USPAT;	2004/08/20
		same (rescan\$5 scan\$5 adj2 again\$5)	US-PGPUB;	15:51
		Dame (Lebeany) Scany) adjz againy)	EPO; JPO;	10.01
			DERWENT;	
	1		IBM TDB	
l _	2	("20020015176").PN.	USPAT;	2004/08/20
1	"	\ 200200101/0 /.tk.	US-PGPUB;	16:33
1	1 .		EPO; JPO;	10.00
}	1		DERWENT;	1
	1		IBM TDB	
_	2	("20020105665").PN.	USPAT;	2004/08/31
	1	\ 20020103003 .EN.	US-PGPUB;	10:08
			EPO; JPO;	1
1	1		DERWENT;	
			IBM TDB	
_		1	1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	1